Cambria Natural Stone by Cambria

Health Product Declaration v2.3

Yes ○ No

Yes ○ No

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 608305910784 CLASSIFICATION: 12 36 40 Stone Countertops

PRODUCT DESCRIPTION: Cambria is a leading, family-owned, American-made producer of natural stone. Cambria offers the most diverse palette of sophisticated designs for residential and commercial applications including countertops, vanities, wall cladding, flooring, and wet bars. As a stain resistant, nonporous natural stone surface, Cambria is strong, safe, maintenance-free and easy to care for, and each design carries a Full Lifetime Warranty against manufacturing defects. With innovative design, American craftsmanship, and superior performance, Cambria provides a lifetime of beauty and peace of mind for any interior space.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method Basic Method

Threshold Disclosed Per

Material Product Threshold Level

C 100 ppm ⊙ 1,000 ppm

O Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes O No

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CAMBRIA NATURAL STONE [QUARTZ BM-1* | CAN | MAM | GEN STYRENE BM-1 | END | CAN | MUL | REP | SKI | EYE | MAM | DEV | GEN | AQU TITANIUM DIOXIDE BM-1* | CAN | END | MAM PIGMENT NoGS | Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances not identified by name or CAS number are held as proprietary by the manufacturer. All substances include weight by percent and it's role in the product. This HPD qualifies for the LEED v4 MR Credit Product Disclosure and Optimization: Material ingredient reporting Option1)

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools) -

VOC emissions: GreenGuard - Indoor Air Quality Certified Other: ANSI/NSF 51-2012 Food equipment materials

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Provisional

Third Party Verified?

O Yes

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2023-10-27 PUBLISHED DATE: 2023-10-27

HPD v2.3 created via HPDC Builder Page 1 of 10

EXPIRY DATE: 2026-10-27

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CAMBRIA NATURAL STONE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No residuals and impurities have been considered for this product.

OTHER PRODUCT NOTES:

	QUARTZ				ID: 14808-60-7	
	HAZARD DATA SOURCE: Pharos	s Chemical and Materials Library	nemical and Materials Library		HAZARD SCREENING DATE: 2023-10-27 7:50:13	
	%: 87.1400 - 93.2200	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
	CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen**		
	CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**		
	CAN	US NIH - Report on Carcinogens	Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)**	
	CAN			Carcinogen Group 1 - Substances that cause cancer in man**		
CAN IARC		IARC		Group 1 - Agent is from occupational	carcinogenic to humans - inhaled sources**	
	CAN	IARC		Group 1 - Agent is	Carcinogenic to humans**	
	CAN US NIH - Report on Carcinogens		Known to be a human Carcinogen**			
	CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]**		
	CAN	GHS - Australia		H350i - May cause - Category 1A or 1I	cancer by inhalation [Carcinogenicity B]**	
	CAN	GHS - New Zealand		Carcinogenicity car	tegory 1**	
	MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic epeated exposure - Category 1]**	
	GEN	GHS - Japan		H341 - Suspected mutagenicity - Cate	of causing genetic defects [Germ cell egory 2]**	
	MAM	GHS - Australia			nage to organs through prolonged or [Specific target organ toxicity Category 1]**	
	MAM	GHS - New Zealand		Specific target orga category 1**	an toxicity - repeated exposure	

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Percentage depends on the Cambria Design

STYRENE					ID: 100-42-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-10-27 7:52:27		
%: 6.7100 - 12.7300	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE RO	OLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrin	ne Disruptor	
END	ChemSec - SIN List		Endocrine Disrupt	ion	
CAN	CA EPA - Prop 65		Carcinogen		
CAN	US NIH - Report on Carcinogen	s	Reasonably Antici	pated to be Human	Carcinogen
CAN	IARC		Group 2a - Agent	is probably Carcino	genic to humans
MUL	German FEA - Substances Haza Waters	ardous to	Class 2 - Hazard t	o Waters	
CAN	MAK		Carcinogen Group slight risk under M	o 5 - Genotoxic carc IAK/BAT levels	nogen with very
END	EU - Priority Endocrine Disrupto	ors	Category 1 - In viv	o evidence of Endo	crine Disruption
REP	GHS - Japan		H360 - May dama	ge fertility or the unb tegory 1B]	oorn child [Toxic to
CAN	GHS - Japan		H350 - May cause 1B]	cancer [Carcinoger	nicity - Category
SKI	EU - GHS (H-Statements) Annex	x 6 Table 3-1	H315 - Causes ski Category 2]	n irritation [Skin cor	rosion/irritation -
EYE	EU - GHS (H-Statements) Annex	x 6 Table 3-1		rious eye irritation [S ion - Category 2A]	Serious eye
MAM	EU - GHS (H-Statements) Annex	x 6 Table 3-1		mage to organs thro e [Specific target or e - Category 1]	
DEV	EU - GHS (H-Statements) Annex	x 6 Table 3-1	H361d - Suspecte [Reproductive tox	d of damaging the uicity - Category 2]	nborn child
MAM	GHS - Japan		-	respiratory irritation	
SKI	GHS - New Zealand		Skin irritation cate	gory 2	
EYE	GHS - New Zealand		Eye irritation cate	gory 2	

^{**}Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
МАМ	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
МАМ	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES:

TITANIUM DIOXIDE	ID: 13463-6	67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-10-27 8:10:29		
%: 0.0000 - 2.4700	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Card	cinogens	Occupational Carcinogen**		
CAN	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**	
CAN	IARC		Group 2B - Possil from occupationa	bly carcinogenic to humans - inhaled	
CAN	MAK			o 3A - Evidence of carcinogenic effects to establish MAK/BAT value**	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor**		
CAN	MAK		Carcinogen Group low risk under MA	o 4 - Non-genotoxic carcinogen with AK/BAT levels**	
CAN	IARC		Group 2b - Possil	oly carcinogenic to humans**	
CAN	EU - GHS (H-Statements) An	inex 6 Table 3-1	H351 - Suspected Category 2]**	d of causing cancer [Carcinogenicity -	
CAN	GHS - Japan		H351 - Suspected Category 2]**	d of causing cancer [Carcinogenicity -	
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]**	
CAN	EU - Annex VI CMRs		Carcinogen Cateo	gory 2 - Suspected human	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT				ID: 12216-93-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2023-10-27 8:02:49
%: 0.0000 - 0.4300	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnii	ngs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	stings found on Additional Hazard Lists
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools) - Provisional

CERTIFYING PARTY: Third Party ISSUE DATE: 2007-07-18 CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Cambria Processing Facility -

EXPIRY DATE: 2024-10-11 Environmental

Le Sueur, MN

CERTIFICATE URL: https://spot.ul.com

CERTIFICATION AND COMPLIANCE NOTES: All Cambria Designs have achieved Greenguard Gold certification(previously Children and Schools). Greenguard Gold certificatied products are certified to Greenguard standards for low chemical emmissions into indoor air during product usage.

For more information visit https://spot.ul.com

VOC EMISSIONS

GreenGuard - Indoor Air Quality Certified

CERTIFIER OR LAB: UL **CERTIFYING PARTY: Third Party** ISSUE DATE: 2006-10-11 APPLICABLE FACILITIES: Cambria Processing Facility -EXPIRY DATE: 2024-10-11 Environmental

Le Sueur, MN

CERTIFICATE URL: https://spot.ul.com

CERTIFICATION AND COMPLIANCE NOTES: All Cambria products have achieved GreenGuard Indoor Air Quality Certification. Indoor Air Quality certified products are certified to Greeguard standards for low chemical emmissions into indoor air during product usage. For more information visit https://spot.ul.com

FOOD EQUIPMENT MATERIALS

ANSI/NSF 51-2012 Food equipment materials

CERTIFYING PARTY: Third Party ISSUE DATE: 2014-03-10 CERTIFIER OR LAB: NSF

APPLICABLE FACILITIES: Cambria Processing Facility -EXPIRY DATE: 2024-03-30

Le Sueur, MN

CERTIFICATE URL: https://www.nsf.org/certified-

products-systems

CERTIFICATION AND COMPLIANCE NOTES: All Cambria products are certified to ANSI/NSF 51 ensuring the composition and surface finish of food contact materials will not adulterate food and that materials are not difficult to clean and sanitize



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Cambria is a natural stone surface product comprised of quartz, binder and pigments resulting in a quartz slab. Since our designs are made of natural stone, they have both an incredibly luxurious look and feature superior performance in strength and durability.

Any hazards associated with Cambria are a result of the raw ingredients as listed in the SDS. Specific to the cancer hazard listed, this is the result of the processing, cutting and grinding of the product(dry) absent of water which can lead to silicosis. Once the slab is produced and fabricated these concerns are no longer present in the finished product as the material is inert. It should b noted that all stone products (granite, marble, concrete etc.) have these concerns during the production and /or fabrication (cutting and polishing) of the material.

International

MANUFACTURER INFORMATION

MANUFACTURER: Cambria
ADDRESS: 31496 Cambria Avenue
LeSueur, Minnesota 56058
COUNTRY: United States

WEBSITE: www,CambriaUSA.com
CONTACT NAME: Arthur Hartman
TITLE: VP of Business Partner Services

PHONE: **952-873-3060**

EMAIL: Arthur.Hartman@cambriausa.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this